

Write your name here

Surname <i>Mr Thompson</i>	Other names
-------------------------------	-------------

Pearson Centre Number

--	--	--	--	--

 Candidate Number

--	--	--	--

Edexcel GCSE

Mathematics A
Paper 1 (Non-Calculator) *Solutions*

Higher Tier

Wednesday 5 November 2014 – Morning Time: 1 hour 45 minutes	Paper Reference 1MA0/1H
--	-----------------------------------

You must have: Ruler graduated in centimetres and millimetres, protractor, pair of compasses, pen, HB pencil, eraser. Tracing paper may be used.

Total Marks

--

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- **Calculators must not be used.**



Information

- The total mark for this paper is 100
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- Questions labelled with an **asterisk** (*) are ones where the quality of your written communication will be assessed.


Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

P44585A

©2014 Pearson Education Ltd.

6/7/6/6/



P 4 4 5 8 5 A 0 1 2 8

Turn over ►


PEARSON

GCSE Mathematics 1MA0


Formulae: Higher Tier

You must not write on this formulae page.
Anything you write on this formulae page will gain NO credit.

Volume of prism = area of cross section \times length




Area of trapezium = $\frac{1}{2} (a + b)h$




Volume of sphere = $\frac{4}{3} \pi r^3$

Surface area of sphere = $4\pi r^2$




Volume of cone = $\frac{1}{3} \pi r^2 h$

Curved surface area of cone = $\pi r l$



In any triangle ABC



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$
where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Sine Rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine Rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2} ab \sin C$



Answer ALL questions.

Write your answers in the spaces provided.

You must write down all stages in your working.

You must NOT use a calculator.

1 Using the information that

$$6.7 \times 52 = 348.4$$

find the value of

(i) 6.7×520

3484

(ii) 67×0.52

34.84

(iii) $3484 \div 5.2$

670

(Total for Question 1 is 3 marks)

*2 Karen got 32 out of 80 in a maths test.
She got 38% in an English test.

Karen wants to know if she got a higher percentage in maths or in English.

Did Karen get a higher percentage in maths or in English?

$$\frac{32}{80} = 0.4 = 40\% \text{ Maths}$$
$$38\% \text{ English}$$

Higher percentage in Maths.

(Total for Question 2 is 2 marks)



P 4 4 5 8 5 A 0 3 2 8

3 Here are the heights, in cm, of 18 children.

98	90	84	102	115	91
88	91	108	110	97	93
90	89	103	95	92	106

Show this information in an ordered stem and leaf diagram.

8	4 8 9
9	0 0 1 1 2 3 5 7 8
10	2 3 6 8
11	0 5

8 | 4 represents 84cm

(Total for Question 3 is 3 marks)



- 4 Kalinda buys x packs of currant buns and y boxes of iced buns.

There are 6 currant buns in a pack of currant buns.

There are 8 iced buns in a box of iced buns.

Kalinda buys a total of T buns.

Write down a formula for T in terms of x and y .

$$T = 6x + 8y$$

(Total for Question 4 is 3 marks)


- 5 (a) Solve the inequality $6y + 5 > 8$

$$\begin{array}{r} -5 \quad -5 \\ 6y > 3 \\ \div 6 \quad \div 6 \\ y > 0.5 \end{array}$$

$$y > 0.5$$

(2)

- (b) Here is an inequality, in x , shown on a number line.



Write down the inequality.

$$-3 < x \leq 4$$

(2)

(Total for Question 5 is 4 marks)



*6 Steve wants to put a hedge along one side of his garden.

He needs to buy 27 plants for the hedge.

Each plant costs £5.54

Steve has £150 to spend on plants for the hedge.

Does Steve have enough money to buy all the plants he needs?

$$\begin{array}{r|l} 20 & 500 \quad 50 \quad 4 \\ \hline & 10000 \quad 1000 \quad 80 \\ \hline 7 & 3500 \quad 350 \quad 28 \\ \hline & 14958 \end{array} = 11080$$
$$= 3878$$


£149.58

Yes Steve does have enough to buy plants, he has 42p spare.

(Total for Question 6 is 4 marks)



7 The diagram shows the plan of a floor.



The area of the floor is 138 m^2 .

Work out the value of x .

$$\begin{array}{r|l} 10 & 8 \\ \hline 5 & 80 \\ & 40 \\ \hline & 120 \end{array}$$

$$3(15-x) + 120 = 138$$

$$45 - 3x + 120 = 138$$

$$165 - 3x = 138$$

$$165 = 138 + 3x$$

$$27 = 3x$$

$$9 = x$$

$$x = 9 \text{ m}$$

(Total for Question 7 is 4 marks)



P 4 4 5 8 5 A 0 7 2 8

*8




Diagram NOT
accurately drawn

ABC is parallel to $EFGH$.

$GB = GF$

Angle $ABF = 65^\circ$

Work out the size of the angle marked x .

Give reasons for your answer.

$\angle BFG = 65^\circ$ as alternate angles are equal.

$\angle FBG = 65^\circ$ as base angles in an isosceles triangle are equal.

$\angle BGF = 50^\circ$ as triangle angles sum to 180° .

$x = 130^\circ$ as angles on a line sum to 180° .

(Total for Question 8 is 4 marks)



9 Jack wants to find out how far people live from their nearest supermarket.

He uses this question on a questionnaire.

How far do you live from your nearest supermarket?			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0 to 2	2 to 3	3 to 4	5 to 6

(a) Write down **two** things wrong with this question.

1 No units of distance

2 Overlapping answer boxes

(2)

Jack also wants to find out how often people go shopping.

(b) Write a question Jack could use on his questionnaire to find out how often people go shopping.

How often do you go shopping per month?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
never	1-2 times	3-4 times	5-6 times	7 or more times


(2)

(Total for Question 9 is 4 marks)



P 4 4 5 8 5 A 0 9 2 8

- 10 Use ruler and compasses to **construct** the perpendicular from point C to the line AB .
You must show all your construction lines.



(Total for Question 10 is 2 marks)



- 11 Ria is going to buy a caravan.
The total cost of the caravan is £7000 **plus** VAT at 20%.

Ria pays a deposit of £3000

She pays the rest of the total cost in 6 equal monthly payments.

Work out the amount of each monthly payment.

$$7000 \times 1.2 = 8400$$

$$\begin{array}{r} 8400 - \\ 3000 \\ \hline 5400 \end{array}$$

$$5400 \div 6 = 900$$

£ 900

(Total for Question 11 is 4 marks)



P 4 4 5 8 5 A 0 1 1 2 8

12 (a) Factorise $3e^2 + 5e$

$$e(3e+5) \quad (1)$$

(b) Solve $7(k-3) = 3k-5$

$$\begin{aligned} 7k-21 &= 3k-5 \\ +21 & \quad +21 \\ 7k &= 3k+16 \\ -3k & \quad -3k \\ 4k &= 16 \\ \div 4 & \quad \div 4 \end{aligned}$$

$$k = 4 \quad (3)$$

(c) Expand and simplify $(2x+3)(x-8)$

$$\begin{aligned} 2x^2 - 16x + 3x - 24 \\ 2x^2 - 13x - 24 \end{aligned}$$

$$2x^2 - 13x - 24 \quad (2)$$

(d) Solve $\frac{7-3f}{4} = 2$


$$\begin{aligned} 7-3f &= 8 \\ +3f & \quad +3f \\ 7 &= 8+3f \\ -8 & \quad -8 \\ -1 &= 3f \\ \div 3 & \quad \div 3 \\ -\frac{1}{3} &= f \end{aligned}$$

$$f = -\frac{1}{3} \quad (3)$$

(Total for Question 12 is 9 marks)



13 (a) Express 180 as a product of its prime factors.



$$2^2 \times 3^2 \times 5 = 180$$

(3)

Martin thinks of two numbers.

He says,

“The Highest Common Factor (HCF) of my two numbers is 6

The Lowest Common Multiple (LCM) of my two numbers is a multiple of 15”

(b) Write down **two** possible numbers that Martin is thinking of.

6 30

(2)

(Total for Question 13 is 5 marks)



P 4 4 5 8 5 A 0 1 3 2 8

- 14 Suha has a full 600 ml bottle of wallpaper remover.
She is going to mix some of the wallpaper remover with water.

Here is the information on the label of the bottle.

<p>Wallpaper remover 600 ml</p> <p>Mix $\frac{1}{4}$ of the wallpaper remover with 4500 ml of water</p>
--

Suha is going to use 750 ml of water.

How many millilitres of wallpaper remover should Suha use?

You must show your working.

$$4500 \div 750 = 6 \leftarrow \begin{array}{l} \text{6 times less} \\ \text{water} \end{array}$$

$$600 \div 6 = 100$$

$$100 \div 4 = 25$$

$\frac{1}{4}$ of wallpaper
remover

25

ml

(Total for Question 14 is 4 marks)




- 15 The students in a class kept a record of the amount of time, in minutes, they spent doing homework last week.

The table shows information about the amount of time the girls spent doing homework last week.

	Minutes
Least amount of time	60
Range	230
Median	170
Lower quartile	100
Upper quartile	220


Highest = 290

- (a) On the grid, draw a box plot for the information in the table.



(2)

The box plot below shows information about the amount of time the boys spent doing homework last week.



- *(b) Compare the amount of time the girls spent doing homework with the amount of time the boys spent doing homework.

Boys spend more time doing homework on average as they have a higher median than the girls. There is a greater spread of values for girls completing their homework than boys with a range of 230 compared to 210 for boys.

(Total for Question 15 is 4 marks)



P 4 4 5 8 5 A 0 1 5 2 8

16 There are 200 workers at a factory.

The cumulative frequency table gives information about their ages.

Age (a years)	Cumulative frequency
$0 < a \leq 20$	25
$0 < a \leq 30$	70
$0 < a \leq 40$	138
$0 < a \leq 50$	175
$0 < a \leq 60$	186
$0 < a \leq 70$	194
$0 < a \leq 80$	200

(a) On the grid opposite, draw a cumulative frequency graph for this information.

(2)

(b) Graham says,

“10% of workers at the factory are older than 65”

Is Graham correct?

You must show how you get your answer.


$$200 - 190 = 10 \quad \frac{10}{200} \times 100 = 5\%$$

5% of workers are older than 65
so Graham is incorrect.

(2)



Cumulative
frequency



(Total for Question 16 is 4 marks)



P 4 4 5 8 5 A 0 1 7 2 8




Diagram NOT
accurately drawn

$ABCDEFGH$ is a regular octagon.
 $BCKFGJ$ is a hexagon.

JK is a line of symmetry of the hexagon.
Angle BJG = angle CKF = 140°

Work out the size of angle KFE .
You must show all your working.

$$\text{Interior angles sum to: } (n-2) \times 180$$

$$(8-2) \times 180 = 1080 \div 8 = 135^\circ$$

$$\text{JKFG angles sum to } 360^\circ$$

$$\angle GFK = 360 - 140 = 220 \div 2 = 110^\circ$$

$$x = 135 - 110 = 25^\circ$$

(Total for Question 17 is 4 marks)






Diagram NOT
accurately drawn

$ABCD$ and $AEGF$ are mathematically similar trapeziums.

$$AE = 5 \text{ cm}$$

$$EF = 12 \text{ cm}$$

$$BC = 18 \text{ cm}$$

- (a) Work out the length of AB .

$$\frac{12}{18} = \frac{2}{3}$$

$$5 \div \frac{2}{3} = 15/2$$

$$7.5 \text{ cm}$$

(2)

Trapezium $AEGF$ has an area of 36 cm^2 .

- (b) Work out the area of the shaded region.

$$36 \times 1.5^2 - 36$$

$$81 - 36 = 45$$

or

$$36 \div \left(\frac{2}{3}\right)^2 - 36 = 45$$

$$45 \text{ cm}^2$$

(3)

(Total for Question 18 is 5 marks)




19 (a) Complete the table of values for $y = \frac{4}{x}$

x	0.5	1	2	4	5	8
y	8	4	2	1	0.8	0.5

(2)

(b) On the grid, draw the graph of $y = \frac{4}{x}$ for $0.5 \leq x \leq 8$



(2)

(Total for Question 19 is 4 marks)



20 The diagram shows a solid shape.




Diagram NOT
accurately drawn

The solid shape is made from a cylinder and a hemisphere.
The radius of the cylinder is equal to the radius of the hemisphere.

The cylinder has a height of 10 cm.
The curved surface area of the hemisphere is $32\pi \text{ cm}^2$.

Work out the total surface area of the solid shape.
Give your answer in terms of π .

$$\text{SA of a sphere} = 4\pi r^2$$

$$\text{SA of a hemisphere} = \frac{4\pi r^2}{2} = 32\pi$$

$$2\pi r^2 = 32\pi$$

$$\pi r^2 = 16\pi$$

$$r^2 = 16$$

$$r = 4$$

$$r = 4$$

$$d = 8$$

$$\text{Circumference} = \pi d$$

$$\pi \times 8 = 8\pi$$

$$\text{SA of cylinder} = 8\pi \times 10 = 80\pi$$

$$\begin{aligned} \text{Area circle} &= \pi \times r^2 \\ &= \pi \times 16 \end{aligned}$$

$$16\pi + 80\pi + 32\pi = 128\pi$$

$$128\pi \text{ cm}^2$$

(Total for Question 20 is 5 marks)



P 4 4 5 8 5 A 0 2 1 2 8

21 Expand $(1 + \sqrt{2})(3 - \sqrt{2})$

Give your answer in the form $a + b\sqrt{2}$ where a and b are integers.

$$\underline{3} - \sqrt{2} + 3\sqrt{2} - \underline{2}$$

$$1 - \sqrt{2} + 3\sqrt{2}$$

$$\underline{1 + 2\sqrt{2}}$$

(Total for Question 21 is 2 marks)



22 (a) Simplify fully $(3e)^0$ ← Anything to the power of 0 is 1.

$$\frac{1}{(1)}$$

(b) Simplify fully $\left(\frac{64x^6}{25y^2}\right)^{-\frac{1}{2}}$

$$\left(\frac{25y^2}{64x^6}\right)^{\frac{1}{2}} = \frac{5y}{8x^3}$$

$$\frac{5y}{8x^3} (2)$$

(c) Write $\frac{5}{x-3} - \frac{4}{x+3}$ as a single fraction in its simplest form.

$$\frac{5(x+3)}{(x-3)(x+3)} - \frac{4(x-3)}{(x+3)(x-3)}$$

$$\frac{5(x+3) - 4(x-3)}{(x-3)(x+3)} = \frac{5x+15-4x+12}{(x+3)(x-3)} = \frac{x+27}{(x+3)(x-3)}$$


(3)

(Total for Question 22 is 6 marks)




P 4 4 5 8 5 A 0 2 3 2 8

- 23 Paul has 8 cards.
There is a number on each card.



Paul takes at random 3 of the cards.
He adds together the 3 numbers on the cards to get a total T .

Work out the probability that T is an odd number.



$$\frac{5}{14} + \frac{1}{28} + \frac{1}{28} + \frac{1}{28} = \frac{13}{28}$$

Routes to
get $T = \text{odd}$

$$OOO = \frac{6}{8} \times \frac{5}{7} \times \frac{4}{6} = \frac{5}{14}$$

$$OEE = \frac{6}{8} \times \frac{2}{7} \times \frac{1}{6} = \frac{1}{28}$$

$$EEO = \frac{2}{8} \times \frac{1}{7} \times 1 = \frac{1}{28}$$

$$EOE = \frac{2}{8} \times \frac{6}{7} \times \frac{1}{6} = \frac{1}{28}$$

(Total for Question 23 is 4 marks)



- *24 A is the point with coordinates $(1, 3)$
 B is the point with coordinates $(4, -1)$
The straight line L goes through both A and B .

Is the line with equation $2y = 3x - 4$ perpendicular to line L ?
You must show how you got your answer.

Need equation in the form $y = mx + c$

$$\begin{aligned} 2y &= 3x - 4 \\ \rightarrow y &= \frac{3}{2}x - 2 \quad m = 3/2 \end{aligned}$$


$$\text{Gradient of } AB = \frac{\text{rise}}{\text{run}} = \frac{3 - (-1)}{1 - 4} = -\frac{4}{3}$$

$$-\frac{4}{3} \times \frac{3}{2} = \frac{-12}{6} = -2$$

As the product of their gradients is
 -2 not -1 , the lines are not
perpendicular.

(Total for Question 24 is 4 marks)





The diagram shows part of the curve with equation $y = f(x)$.
The coordinates of the minimum point of this curve are $(3, -4)$

Write down the coordinates of the minimum point of the curve with equation

(i) $y = f(x) + 3$

(3 , -1)

(ii) $y = f(2x)$

(1.5 , -4)

(iii) $y = f(-x)$

(-3 , -4)

(Total for Question 25 is 3 marks)

TOTAL FOR PAPER IS 100 MARKS



BLANK PAGE



P 4 4 5 8 5 A 0 2 7 2 8

BLANK PAGE

