Centre No.							Surname	lnitial(s)			
Candidate No.			1	3	8	0	/	4		Signature M. Semar-	

Paper Reference(s)

1380/4H

Edexcel GCSE


Mathematics (Linear) – 1380

Paper 4 (Calculator)

Higher Tier

Monday 14 November 2011 - Morning

Time: 1 hour 45 minutes



Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser, calculator. Tracing paper may be used. Items included with question papers

Mil

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions. Write your answers in the spaces provided in this question paper.

You must NOT write on the formulae page.

Anything you write on the formulae page will gain NO credit.

If you need more space to complete your answer to any question, use additional answer sheets.

Information for Candidates

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 25 questions in this question paper. The total mark for this paper is 100.

There are 24 pages in this question paper. Any blank pages are indicated.

Calculators may be used.

If your calculator does not have a π button, take the value of π to be 3.142 unless the question instructs otherwise.

Advice to Candidates

Show all stages in any calculations.

Work steadily through the paper. Do not spend too long on one question.

If you cannot answer a question, leave it and attempt the next one.

Return at the end to those you have left out.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2011 Edexcel Limited.

 $\overset{\text{Printer's Log, No.}}{P40088A}$



Turn over

Examiner's use only

Team Leader's use only



W850/R5540H/57570 6/6/6/3


GCSE Mathematics (Linear) 1380

Formulae: Higher Tier


You must not write on this formulae page.

Anything you write on this formulae page will gain NO credit.

Volume of a prism = area of cross section \times length




Volume of sphere $=\frac{4}{3}\pi r^3$ Surface area of sphere $=4\pi r^2$




Volume of cone $=\frac{1}{3}\pi r^2 h$

Curved surface area of cone = πrl



In any triangle ABC



Sine Rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine Rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle $=\frac{1}{2}ab \sin C$

The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$ where $a \ne 0$, are given by

$$x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$$

Answer ALL TWENTY FIVE questions.

Write your answers in the spaces provided.

You must write down all stages in your working.

1. (a) Use your calculator to work out

$$\frac{\sqrt{21.5}}{5.8 - 2.36}$$

Write down all the figures on your calculator display.



1.34790966

(b) Write down your answer to part (a) correct to 2 decimal places.

1.35

(1)

Q1

(Total 3 marks)

2. Ishmal invested £3500 for 3 years at 2.5% per annum simple interest.

Work out the total amount of interest Ishmal earned.

Interest earned in year 1

$$2.5\%$$
 of $3500 = \frac{2.5}{100} \times 3500$
 $= £87.50$

£ 262.50

Q2


3	Gary wants	to find out	how much	time teenagers	spend listening to	music
J.	Gary wants	to mu out	HOW HIUCH	unic techagers	spend hatching it	illusic

He uses this question on a questionnaire.

How many hours do you spend listening to music?


1 to 5 5 to 10 10 to 20 over 20

(a) Write down two things wrong with this question.



(b) Design a better question for Gary's questionnaire to find out how much time teenagers spend listening to music.

How many hours a day do you listen to music?



OVEL DWS

(2)

Q3

4. (a) Find the highest common factor (HCF) of 24 and 30

factors of 24: 1,2,3,4,6,8,12,24. Factors of 30: 1,2,3,5,6,10,15,30

(1)

(b) Find the lowest common multiple (LCM) of 4, 5 and 6

1 CM = 4 x 5 x 6

,60

Q4

(Total 3 marks)

5. Melissa is 13 years old. Becky is 12 years old.

Daniel is 10 years old.

2800 pence

Melissa, Becky and Daniel share £28 in the ratio of their ages. Becky gives a third of her share to her mother.

How much should Becky now have?

13:12:10 Ratio:

Total parts = 13+12+10=35.

Each part is worth 2800 = 35 = 80 pence.

Becky's share is: 12x80 = 960 pence

She give 1/3 to her mother means
she keeps 2/3 to herself 2/3 × 960 = 640p (Total 4 marks)

6.





Diagram **NOT** accurately drawn

All angles are measured in degrees.

ABC is a straight line. Angle APB = x + 50

Angle
$$PAB = 2x - 10$$

Angle $PBC = y$





C=a+b.



(3)

because an exterior angle in a triangle is the sum of interior opposite angles.

(b) Given that y = 145,

(i) work out the value of
$$x$$
,

$$3x + 40 = 145$$

 $3x + 40 - 40 = 145 - 40$
 $3x = 105$
 $x = 105 = 3$


(ii) work out the size of the largest angle in triangle ABP.

$$\chi = 35^{\circ}$$
 $\angle A = 2\chi - 10 = 2\chi 35 - 10 = 60$
 $\chi = 35^{\circ}$ $\angle P = \chi + 50 = 35 + 50 = 85$

85

(4) <u>Q6</u>

7. The diagrams show a right-angled triangle and a rectangle.



Diagrams **NOT** accurately drawn

x cm

12 cm

12 cm

Find the value of x.

Area of triangle =
$$\frac{b \times h}{2} = \frac{8 \times 15}{2} = 60 \text{ cm}^2$$
.

Area of rectangle =
$$12 \times x = 12 \times$$

$$x = 5$$
 cm

x cm

The area of the right-angled triangle is equal to the area of the rectangle.

unils-

<u>Q</u>7

The diagram shows a CD. 8. The CD is a circle of radius 6 cm.




Diagram NOT accurately drawn

circumference = C= 2TTr.

(a) Work out the circumference of the CD.

$$C = 2 \times \pi \times 6 = 12 \times \pi$$

= 37.6991 cm²
= 37.7 em²

CDs of this size are cut from rectangular sheets of plastic. Each sheet is 1 metre long and 50 cm wide.

(b) Work out the greatest number of CDs that can be cut from one rectangular sheet.

1 m = 100 cm. Diameter of CD = 12 cm. 50

50 cm = 12 x 4 +2 100 cm = 12 x 8 + 4

(100=12) x (50=12) = 8 x 4 whole CDs

100

Q8

9. The exchange rate in London is £1 = £1.14 The exchange rate in Paris is £1 = £0.86

Elaine wants to change some pounds into euros.

In which of these cities would Elaine get the most euros? You must show all of your working.

In London £1 gives you
$$€1.14$$
.

In Paris £1 gives you $1 \div 0.86$ Euros.

(since €1 = £0.36).

[London £1 = €1.14]

Paris £1 = €1.16

€1.16 bigger than €1.14.

Paris.

Q9

(Total 3 marks)

OR Imagine you had £10 in your pocket and you wanted to buy some Euros.

London: £1 = £1.14 then $£10 = 1.14 \times 10 = £11.40$ Paris: £1 = £0.86 then $£10 = 10 \div 0.86 = £11.62$ £11.62 > £11.40Paris is better 1

10. The temperature $(T^{\circ}C)$ at noon at a seaside resort was recorded for a period of 60 days. The table shows some of this information.

Temperature (T°C)	Number of days	Midpoint to	Sum of to
$10 < T \leqslant 14$	2	12	12 x 2
$14 < T \leqslant 18$	8	16	16 x 8
18 < <i>T</i> ≤ 22	14	20	20×14
22 < <i>T</i> ≤ 26	23	24	24×23
26 < T ≤ 30	9	28	2819
30 < <i>T</i> ≤ 34	4	3 2	3 % X 4

Calculate an estimate for the mean temperature at noon during these 60 days. Give your answer correct to 3 significant figures.

Mean
$$t^0 = \frac{12 \times 2 + 16 \times 8 + 20 \times 14 + 24 \times 23 + 28 \times 9 + 32 \times 4}{60}$$


22-7 °C

Q10




11. (a) Simplify $m^3 \times m^6$

(b) Simplify $\frac{p^8}{p^2}$



(c) Simplify $(2n^3)^4$

$$2^{4} \times n^{3\times 4} = 16n^{12}$$



Q11

(Total 4 marks)

12. $-2 \le n \le 5$ n is an integer.



(a) Write down all the possible values of n.

$$-2,-1,0,1,2,3,4$$
 (2)

(b) Solve the inequality 4x + 1 > 11

$$4x+1-1>11-1$$

$$4x>10$$

$$\frac{4x}{4}>\frac{10}{4}$$

$$\frac{\chi > 5/2}{\chi > 2.5} \tag{2}$$

Q12

13. (a) Complete the table of values for 3x + 2y = 6


x	-2	-1	0	1	2	3
у	6	4.5	3	1.5	0	-1.5

$$\chi = 1$$
 $3x1 + 2y = 6$
 $3 + 2y = 6$
 $2y = 6 - 3$
 $y = \frac{3}{2}$

Pattern - 1.5 term b term rule

(2)

(b) On the grid, draw the graph of 3x + 2y = 6




(2)

(c) Find the gradient of the graph of 3x + 2y = 6

Gradient =
$$-\frac{3}{2} = -1.5$$

Negative slope



() Q13

14. (a) Factorise
$$6x + 4$$

$$3\times2\times2+2\times2$$
 $2(3x+2)$

$$2(3x+2)$$

(b) Factorise fully
$$9x^2y - 15xy$$

$$3x3xxxxxy - 3x5xxxy$$

 $3xy(3x - 5)$

$$3xy(3x-5)$$

Q14

(Total 3 marks)

15. A garage sells used cars.

The table shows the number of used cars it sold from July to December.

July	August	September	October	November	December
28	25	34	46	28	40

(a) Work out the 3-point moving averages for the information in the table. The first two have been worked out for you.

$$\frac{34+46+28}{3} = 36$$

$$\frac{46+28+40}{3} = 38$$

29

35

36 38

(2)

(1)

(b) Comment on the trend shown by the 3-point moving averages.

Increasing trend in the sale of used cars or (upwards)


Q15


16. Barry drew an angle of 60°.

He asked some children to estimate the size of the angle he had drawn.


He recorded their estimates.

The box plot gives some information about these estimates.





Adults' estimates



(a) Write down the median of the children's estimates.

5 5

(b) Find the interquartile range of the children's estimates.

$$IQR = UQ - LQ$$
.
= $70 - 47 = 23$

23 .

(2)



Barry then asked some adults to estimate the size of the angle he had drawn. The table gives some information about the adults' estimates.

	Angle
Lowest estimate	20°
Lower quartile	45°
Median	62°
Upper quartile	75°
Highest estimate	95°

(c) On the grid opposite, draw a box plot to show this information.

(2)

(d) Use the two box plots, to compare the distribution of the children's estimates with the distribution of the adults' estimates.

. IQR (adults) higher than IQR (children)

			9				
O	Median (adults)	higher	than	Median	(childs	tn)
					*******************		• • • • • • • • • • • • • • • • • • • •
	V Company						
£			_				
	F		****************		• • • • • • • • • • • • • • • • • • • •	***************************************	• • • • • • • • • • •
	÷						


Q16


(2)

17.

Leave blank

21






Triangle ABC is similar to triangle ADE.

$$AC = 15$$
 cm.

$$CE = 6$$
 cm.

$$BC = 12.5$$
 cm.



15 cm

Work out the length of DE.

Solution length of DE.

$$15 \times Sf = 21 \qquad (Sf = Scale factor)$$

$$Sf = \frac{21}{15} = \frac{7}{5}$$

$$DE = Sf \times BC$$

$$= \frac{7}{5} \times 12.5$$

$$= 17.5$$

17, 5 cm

(Total 3 marks)

18. Change $9 \text{ cm}^2 \text{ to } \text{mm}^2$.

900

Q18

Q17

19. Find the exact solutions of
$$x + \frac{3}{x} = 7$$

$$\frac{\chi^{2}}{\chi} + \frac{3}{2} = 7$$

$$\chi^{2} + 3 = 7\chi$$

$$\chi^{2} - 7\chi + 3 = 0$$

$$\Delta = b^{2} - 4\alpha c = 49 - 4(1)(3) = 37$$

$$\chi = +\frac{7 + \sqrt{37}}{2}$$

$$\chi = \frac{7 \pm \sqrt{37}}{2}$$


$$7\pm\sqrt{31}$$

Q19

20.

Leave blank

Diagram **NOT** accurately drawn



PQRS is a trapezium.

PQ is parallel to SR.

Angle $PSR = 90^{\circ}$.

Angle $PRS = 62^{\circ}$.

$$PQ = 14 \text{ cm}.$$

PS = 8 cm.

(a) Work out the length of PR. Give your answer correct to 3 significant figures.

$$\sin 62 = \frac{8}{PR}$$

$$PR = \frac{8}{\sin 62}$$


9.06 cm (3)

(b) Work out the length of QR. Using cosine rule < RPQ = 62° Parallel Give your answer correct to 3 significant figures.

12.6 cm

Q20

21. The table and histogram give some information about the weights of parcels received at a post office during one day.



(a) Use the histogram to complete the frequency table.

Weight (w) kg	Frequency	Frequency density
$0 < w \leqslant 2$	40	40=2= 20
$2 < w \leqslant 3$	34x1 = 34	34
$3 < w \leqslant 4$	24	24:1 = 24
$4 < w \leqslant 5$	18	18=1=18
5 < w ≤ 8	4x3=12	4

(b) Use the table to complete the histogram.


(2) Q21

(2)

22.

Leave blank

Diagram **NOT** accurately drawn



The diagram shows a triangle ABC.

LMNB is a parallelogram where L is the midpoint of AB,
M is the midpoint of AC,
and N is the midpoint of BC.


Prove that triangle *ALM* and triangle *MNC* are congruent. You must give reasons for each stage of your proof.

- 2) M Midpoint of AC means AM = MC
- 3) N Midpoint of BC means BN=NC

 BN=LM opposite sides of a parallelogram LMNB

 "" LM=NC





SSS Triangles congruent

Q22

23. (a) Factorise
$$x^2 + px + qx + pq$$

$$x(x+p)+q(x+p)$$

$$(x+p)(x+q)$$

$$(x+p)(x+q)$$

(b) Factorise
$$m^2 - 4$$

$$(m+2)(m-2)$$

$$(m+2)(m-2)$$
.

(c) Write as a single fraction in its simplest form
$$\frac{2}{x-4} - \frac{1}{x+3}$$

$$\frac{2(x+3)}{(x-4)(x+3)} = \frac{1\times(x-4)}{(x-4)(x+3)}$$


$$\frac{2x+6-x+4}{(x-4)(x+3)}$$

$$\frac{\chi + 10}{(\chi - 4)(\chi + 3)}$$

Q23

24. The diagram shows a solid hemisphere of radius 8 cm.

Diagram **NOT** accurately drawn



Work out the total surface area of the hemisphere. Give your answer correct to 3 significant figures.

Formula page (2) = Surface area of a sphere 41112

Surface area of hemisphere = \frac{1}{2} \times 4\pi r^2 + \pi r^2

$$=2\pi r^2+\pi r^2$$

$$=192 \, \text{TT}$$

603 cm²

Q24

25. Steve measured the length and the width of a rectangle.

He measured the length to be 645 mm correct to the nearest 5 mm.

He measured the width to be 400 mm correct to the nearest 5 mm.

Calculate the lower bound for the area of this rectangle.

Give your answer correct to 3 significant figures.

Length = 645mm

$$(645 \pm 512)$$
 $U_B = 642.5 \text{ mm}$
 (645 ± 512)
 $U_B = 397.5 \text{ mm}$
 (450 ± 512)
 $U_B = 402.5 \text{ mm}$

$$L_B$$
 Area = L_B length \times L_B width
= 642.5×397.5
= 255393.75
 $255393.75 = 255000(35f)$

255000 mm²

O25

(Total 3 marks)

TOTAL FOR PAPER: 100 MARKS

END

BLANK PAGE

